FAST Search History 5/31/2007

Ref #	l N Hits	Search Query	DBs LV	Default Operator	Plurals	Time Stamp しい
L1	556	(temporary near2 IP adj address)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:04
L2	75	(temporary near2 IP adj address) and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122") and (SIP or session near2 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:06
L3	. 1	"6028233".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:07
L4	1	"6038233".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:11
L5	25	(IPv4 Near3 (conver\$5 or translat\$3) near3 IPv6) and sip	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:12
L6	6	(IPv4 Near3 (conver\$5 or translat\$3) near3 IPv6) and sip and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:13
S1	780	370/356.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 10:03
S2	4654	(SIP or signal\$4 adj initial\$5 adj protocol) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 14:45
S3	91	S1 and S2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:08
<b>S4</b>	738	(SIP or signal\$4 adj initial\$5 adj protocol) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) same header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:18
S5	10	S1 and S4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:12
S6	21512	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) same header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:18

S7	10677	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) with header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:18
S8	226	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) with header and 370/352.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:22
S9	1	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and anonymous and (VIA or TAG) with header and 370/352.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 15:58
S10	3	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and anonymous and (VIA or TAG) with header and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:25
S11	356	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) with header and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2007/05/29 10:31
S12	39	(sip or session adj initialization adj protocol) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG) with header and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2007/05/29 10:33
S13	4	(sip or session adj initialization adj protocol) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) with header and 370/401. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:34
S14	71	(sip or session adj initialization adj protocol) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) with header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:40
S15	48	(sip or session adj initialization adj protocol) and (convert\$3 or eras\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) with header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:50
S16	3	(sip\$1URL or session adj initialization adj protocol near3 URL) and (convert\$3 or eras\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) with header	US-PGPUB; USPAT; EPO; JPO	OR	OFF,	2007/05/29 10:55
S17	137	(TAG) near3 "184"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:53

		LASI Searc		•		
S18	1	(TAG) near3 "184" and SIP	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:53
S19	6	(TAG) near3 "184" and "370"/\$6. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 10:53
S20_	36	(sip\$1URL or session adj initialization adj protocol near3 URL) and (convert\$3 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR ·	OFF	2007/05/29 10:55
S21	43	(sip\$1URL or session adj initialization adj protocol near3 URL) and (conver\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:02
S22	4	(conver\$5 or eras\$3) same (sip\$1URL or session adj initialization adj protocol near3 URL)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:04
S23	4485	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:04
S24	0	370/389.ccls. and (SIP\$1URL) with (convers\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:04
S25	1	370/389.ccls. and (SIP\$1URL) same (convers\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:04
S26	1	370/389.ccls. and (SIP\$1URL or SIP\$1user or sip\$1identif\$5) same (convers\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:05
S28	30	370/389.ccls. and (SIP\$1URL or SIP\$1user or sip\$1identif\$5 or VIA or TAG) near3 (convers\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 11:05
S29	1	"6959009".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 12:54
S30	315	370/389.ccls. and (SIP\$1URL or SIP\$1user or sip\$1identif\$5 or VIA or TAG) same (convers\$5 or eras\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 14:45
S31	175	370/389.ccls. and (SIP\$1URL or SIP\$1user or sip\$1identif\$5 or VIA or TAG) and (privac\$3 or _ anonymous)	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2007/05/29 13:04
S32	28	370/389.ccls. and (SIP\$1URL or SIP\$1user or sip\$1identif\$5 or VIA or TAG) and (privac\$3 or anonymous) near3 (user or caller)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:11

S33	0	370/389.ccls. and (Sip or session near2 protocol) and (caller\$1ID) near3 (block\$3 or conceal\$3 or	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:13
		hid\$3 or privac\$3 or anonymous)			055	2007/05/20 42 26
S34	104	370/389.ccls. and (Sip or session near2 protocol) and (eras\$3 or conver\$5 or delet\$3 or encapsulat\$3) same (invite or setup or VIA)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:26
S35	77	370/389.ccls. and (Sip\$uri or session near2 protocol) and (eras\$3 or conver\$5 or delet\$3 or encapsulat\$3) same (invite or setup or VIA)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:26
S36	1	370/389.ccls. and (Sip\$uri or session near2 protocol) and (eras\$3 or conver\$5 or delet\$3 or encapsulat\$3) same (invite or setup or VIA) near3 header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:26
S37	32	(Sip\$uri or session near2 protocol) and (eras\$3 or conver\$5 or delet\$3 or encapsulat\$3) same (invite or setup or VIA) near3 header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 13:26
S38	9607	(SIP or signal\$4 near2 protocol) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 14:46
S39	6485	(SIP\$1uri or signal\$4 near2 protocol) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (VIA or TAG)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 14:46
S40 ·	30	(SIP\$1uri or signal\$4 near2 protocol) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) near3 (header)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 14:47
S41	15	(SIP or signal\$4 near2 protocol) near3 (message or packet or header or invte) and (IP or internet) and (convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) same (VIA or TAG) near3 (header)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 15:21

Page 4

S42		(remov\$3 or eras\$3 or edit\$3 or conver\$5) near4 (VIA adj header or SIP near2 message adj header) and (call adj indentif\$6 or call\$1ID or Caller\$1ID or caller adj identification)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 15:30
S43	21	(SIp or session near2 protocol) and (hide or conceal or block or unknown) near4 (call adj indentif\$6 or call\$1ID or Caller\$1ID or caller adj identification)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 15:43
S44	16	(SIp or session near2 protocol) and (hide or conceal or unknown or privac\$3) near4 (call adj indentif\$6 or call\$1ID or Caller\$1ID or caller adj identification)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 15:55
S45	5871	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 15:56
S46	48	370/401.ccls. and (VOIP) and (caller\$1ID or call\$1ID or call\$1identif\$6)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:25
S47	0	"370"/\$6.ccls. and (VOIP) and (conceal\$3 or hid\$3 or eras\$3 or kept adj from) near3 (caller\$1ID or call\$1ID or call\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:26
S48	0	"370"/\$6.ccls. and (conceal\$3 or hid\$3 or eras\$3 or kept adj from) near3 (caller\$1ID or call\$1ID or call\$1identif\$6)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:29
S49	2	(detect\$3) near5 anonymous near2 call\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:30
S50	17	request\$3 near5 anonymous near2 call\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:33
S51	16	request\$3 with anonymous near2 call\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:33
S52	32	(initiat\$3 or request\$3) with anonymous near2 call\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/29 16:33
S53	764	(modif\$5 or delete or remove or erase) same (sip or Voip or invite or setup) adj message	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/30 07:59

S54	374	(modif\$5 or delete or remove or erase) with (sip or Voip or invite or setup) adj message	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/30 12:59
S55	1	"20030009561"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 08:46
S56	60	379/142.02.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 12:50
S57	22	379/142.03.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 10:29
S58	3	379/142.02.ccls. and SIP	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 12:50
S59	68	(modif\$5 or delete or remove or erase) with (sip or Voip or invite or setup) adj message and (anonymous or hid\$3 or conceal or block) near3 call	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/30 13:00
S60	6	(modif\$5 or delete or remove or erase) with (sip or Voip or invite or setup) adj message and (anonymous or hid\$3 or conceal or block) near3 (call\$1ID or caller adj ID or caller adj identification)	US-PGPUB; USPAT; EPO; JPO	OR ·	ON	2007/05/30 13:00
S61	2001	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 13:34
S62	22	709/245.ccls. and SIP and IPV6	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 13:34
S63	. 2	709/245.ccls. and SIP and IPV6 and call adj ID	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 13:35
S64	9	"709"/\$6.ccls. and SIP and IPV6 and call adj ID	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 13:41
S65	25	(voip or voice adj over adj IP) and IPV6 and call adj ID	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 13:59
S66	8	(voip or voice adj over adj IP) and IPV6 and call\$3 adj ID and user adj id	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 14:11
S67	. 57	379/201.11.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 14:06

			,			
S68	176	(voip or voice adj over adj IP) and call\$3 adj ID and user adj id	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 14:11
S69	71	Modif\$5 same Telephone with IP adj address	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 15:42
S70	26	Modif\$5 same Telephone with IP adj address and sip	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 15:48
S71	. 66	Telephone with IP adj address and sip near3 header	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 15:48
S72	835	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) and (Ip or internet adj protocol) near3 phone and (Sip or session near2 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 15:58
S73	174	(convert\$3 or eras\$3 or fram\$3 or encapsulat\$3 or decapsulat\$3) same (Ip\$2 or internet adj protocol) near3 phone and (Sip or session near2 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	OFF.	2007/05/30 16:15
S74	9	sip with (modicicat\$4 or eras\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:21
S75	9	(sip or (session near2 protocol)) with (modicicat\$4 or eras\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:21
S76	525	(sip or (session near2 protocol)) with (delet\$3 or remov\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:22
S77	498	(sip) with (delet\$3 or remov\$4)	US-PGPUB; USPAT; EPO; JPO	OR `	OFF	2007/05/30 16:24
S78	168	(sip) near3 (delet\$3 or remov\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:22
S79	111	S78 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:25
S80	68	(sip) with (delet\$3 or remov\$4) with request\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:32
S81	18	S80 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:32

S82	77	(sip) with (delet\$3 or remov\$4) with call	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:33
S83	47	S82 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:35
S84	1	(sip) with (delet\$3 or remov\$4) with (anonymous near2 call)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:33
S85		(sip) with (delet\$3 or remov\$4) same (anonymous near2 call)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:33
S86	1	(sip) with (delet\$3 or remov\$4) and (anonymous near2 call)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:33
`S87	1	(sip) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) and (anonymous near2 call)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:34
S88	. 1	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) and (anonymous near2 call)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:34
S89	122	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with call	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:35
S90	71	S89 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:35
S91	16	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with call with request\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:35
S92	16	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with call with (request\$4 or trigger\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:42
S93	5	S92 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:43
S94	2	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with call with (block\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:43
S95	1	S94 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:44

S96	3	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with call same (block\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:44
S97	. 1	S96 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:44
S98	469	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) and (block\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:44
S99	18	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) with (block\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:45
S10 0	15	S99 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:46
S10 1	32	(sip or (session near1 protocol)) with (delet\$3 or remov\$4 or modificat\$4 or erac\$4) and (block\$4 near2 (number or id or address or ip or identification or directory))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:53
S10 2	18	S101 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:53
S10 3	174	*67	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:52
S10 4	174	"*67"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:53
S10 5	11	S104 and sip	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:53
S10 6	5	S105 and (@ad<="20030122" or @rlad<="20030122" or @pd<="20030122")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:53
S10 7	5	S106 and (delet\$3 or remov\$4 or modificat\$4 or erac\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:55
S10 8	5	S106 and (modif\$7)	US-PGPUB; USPAT; EPO; JPO	OR	OFF .	2007/05/30 16:55
S10 9	0	S108 not S107	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/30 16:55

S11 0	1427	"379"/\$6.ccls. and SIP	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 08:36
S11 1	1580	"379"/\$6.ccls. and (SIP or session near2 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 08:37
S11 2	466	"379"/\$6.ccls. and (SIP or session near2 protocol) and (USERID or user\$1ID or call\$1id or call adj id or call\$2 adj ID)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 08:38
S11 3	85	"379"/\$6.ccls. and (SIP or session near2 protocol) and (USERID or user\$1ID or call\$1id or call adj id or call\$2 adj ID) with (block\$3 or remov\$3 or modif\$6 or delet\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/05/31 08:38